


GRAPHIC SCALE
(IN FEET)
1 inch = 40 ft.

The bearings are based on a Centerline Plot for LAK-PELTON ROAD prepared by CT Consultants, INC.
● All 8" rebar set are 30" long capped Foresight Engineering.

Plat Approved For Recording
Lake County Engineer
By *[Signature]* Date 3/31/06

CURVE	Delta	Length	Radius	Tangent	Chord	Chord Distance
C1	6°22'25"	58.13'	522.57'	29.10'	N49°22'11"W	58.10'
C2	31°47'34"	251.14'	452.59'	128.89'	N36°39'37"W	247.93'
C3	16°44'07"	132.19'	452.59'	66.57'	N12°23'47"W	131.72'
C4	4°09'37"	32.86'	452.59'	16.44'	N01°56'55"W	32.86'
C5	5°28'44"	49.97'	522.57'	25.00'	N48°55'21"W	49.95'
C6	0°53'41"	8.16'	522.57'	4.08'	N52°06'33"W	8.16'
C7	17°30'16"	138.27'	452.59'	69.68'	N45°48'16"W	137.73'
C8	14°17'18"	112.87'	452.59'	56.73'	N27°54'29"W	112.57'
C9	6°28'57"	42.12'	300.00'	25.37'	N19°27'38"E	38.75'
C10	30°35'07"	16.01'	300.00'	8.20'	N74°58'40"E	15.82'
C11	21°13'35"	18.52'	500.00'	9.37'	N79°06'59"W	18.42'
C12	31°54'14"	27.84'	500.00'	14.29'	N52°33'05"W	27.48'
C13	50°57'19"	44.47'	500.00'	23.82'	N62°04'37"W	43.02'
C14	36°52'12"	32.18'	500.00'	16.67'	N37°08'25"E	31.62'
C15	36°52'12"	32.18'	500.00'	16.67'	N00°16'14"E	31.62'
C16	36°52'12"	32.18'	500.00'	16.67'	N36°35'58"W	31.62'
C17	34°41'43"	30.28'	500.00'	15.62'	N72°22'55"W	29.82'
C18	85°42'03"	44.87'	300.00'	27.83'	N46°52'45"W	40.81'
C19	9°20'50"	73.84'	452.59'	37.00'	N16°05'25"W	73.75'
C20	15°57'50"	119.42'	428.58'	60.10'	N24°47'16"W	119.03'
C21	7°23'16"	96.58'	452.59'	29.22'	N07°45'21"W	96.32'
C22						



PIN: 27-B-041-00-023-0
OWNER: STEVENS PROPERTIES CO
DOCUMENT: 1994R007791
VOL/PAGE: 975/582

JEROME D. GRABNAR
27B041000040
Vol 537 Pg 1075