

CURVE DATA

Station	Bearing	Distance	Chord Bearing	Chord Distance
174/A	N 174° 00' 00" E	100.00	S 16° 00' 00" E	99.14
173/A	N 173° 00' 00" E	100.00	S 15° 00' 00" E	98.48
172/A	N 172° 00' 00" E	100.00	S 14° 00' 00" E	97.82
171/A	N 171° 00' 00" E	100.00	S 13° 00' 00" E	97.16
170/A	N 170° 00' 00" E	100.00	S 12° 00' 00" E	96.50
169/A	N 169° 00' 00" E	100.00	S 11° 00' 00" E	95.84
168/A	N 168° 00' 00" E	100.00	S 10° 00' 00" E	95.18
167/A	N 167° 00' 00" E	100.00	S 9° 00' 00" E	94.52
166/A	N 166° 00' 00" E	100.00	S 8° 00' 00" E	93.86
165/A	N 165° 00' 00" E	100.00	S 7° 00' 00" E	93.20
164/A	N 164° 00' 00" E	100.00	S 6° 00' 00" E	92.54
163/A	N 163° 00' 00" E	100.00	S 5° 00' 00" E	91.88
162/A	N 162° 00' 00" E	100.00	S 4° 00' 00" E	91.22
161/A	N 161° 00' 00" E	100.00	S 3° 00' 00" E	90.56
160/A	N 160° 00' 00" E	100.00	S 2° 00' 00" E	89.90
159/A	N 159° 00' 00" E	100.00	S 1° 00' 00" E	89.24
158/A	N 158° 00' 00" E	100.00	S 0° 00' 00" E	88.58
157/A	N 157° 00' 00" E	100.00	S 359° 00' 00" W	87.92
156/A	N 156° 00' 00" E	100.00	S 358° 00' 00" W	87.26
155/A	N 155° 00' 00" E	100.00	S 357° 00' 00" W	86.60
154/A	N 154° 00' 00" E	100.00	S 356° 00' 00" W	85.94
153/A	N 153° 00' 00" E	100.00	S 355° 00' 00" W	85.28
152/A	N 152° 00' 00" E	100.00	S 354° 00' 00" W	84.62
151/A	N 151° 00' 00" E	100.00	S 353° 00' 00" W	83.96
150/A	N 150° 00' 00" E	100.00	S 352° 00' 00" W	83.30
149/A	N 149° 00' 00" E	100.00	S 351° 00' 00" W	82.64
148/A	N 148° 00' 00" E	100.00	S 350° 00' 00" W	81.98
147/A	N 147° 00' 00" E	100.00	S 349° 00' 00" W	81.32
146/A	N 146° 00' 00" E	100.00	S 348° 00' 00" W	80.66
145/A	N 145° 00' 00" E	100.00	S 347° 00' 00" W	80.00
144/A	N 144° 00' 00" E	100.00	S 346° 00' 00" W	79.34
143/A	N 143° 00' 00" E	100.00	S 345° 00' 00" W	78.68
142/A	N 142° 00' 00" E	100.00	S 344° 00' 00" W	78.02
141/A	N 141° 00' 00" E	100.00	S 343° 00' 00" W	77.36
140/A	N 140° 00' 00" E	100.00	S 342° 00' 00" W	76.70
139/A	N 139° 00' 00" E	100.00	S 341° 00' 00" W	76.04
138/A	N 138° 00' 00" E	100.00	S 340° 00' 00" W	75.38
137/A	N 137° 00' 00" E	100.00	S 339° 00' 00" W	74.72
136/A	N 136° 00' 00" E	100.00	S 338° 00' 00" W	74.06
135/A	N 135° 00' 00" E	100.00	S 337° 00' 00" W	73.40
134/A	N 134° 00' 00" E	100.00	S 336° 00' 00" W	72.74
133/A	N 133° 00' 00" E	100.00	S 335° 00' 00" W	72.08
132/A	N 132° 00' 00" E	100.00	S 334° 00' 00" W	71.42
131/A	N 131° 00' 00" E	100.00	S 333° 00' 00" W	70.76
130/A	N 130° 00' 00" E	100.00	S 332° 00' 00" W	70.10
129/A	N 129° 00' 00" E	100.00	S 331° 00' 00" W	69.44
128/A	N 128° 00' 00" E	100.00	S 330° 00' 00" W	68.78
127/A	N 127° 00' 00" E	100.00	S 329° 00' 00" W	68.12
126/A	N 126° 00' 00" E	100.00	S 328° 00' 00" W	67.46
125/A	N 125° 00' 00" E	100.00	S 327° 00' 00" W	66.80
124/A	N 124° 00' 00" E	100.00	S 326° 00' 00" W	66.14
123/A	N 123° 00' 00" E	100.00	S 325° 00' 00" W	65.48
122/A	N 122° 00' 00" E	100.00	S 324° 00' 00" W	64.82
121/A	N 121° 00' 00" E	100.00	S 323° 00' 00" W	64.16
120/A	N 120° 00' 00" E	100.00	S 322° 00' 00" W	63.50
119/A	N 119° 00' 00" E	100.00	S 321° 00' 00" W	62.84
118/A	N 118° 00' 00" E	100.00	S 320° 00' 00" W	62.18
117/A	N 117° 00' 00" E	100.00	S 319° 00' 00" W	61.52
116/A	N 116° 00' 00" E	100.00	S 318° 00' 00" W	60.86
115/A	N 115° 00' 00" E	100.00	S 317° 00' 00" W	60.20
114/A	N 114° 00' 00" E	100.00	S 316° 00' 00" W	59.54
113/A	N 113° 00' 00" E	100.00	S 315° 00' 00" W	58.88
112/A	N 112° 00' 00" E	100.00	S 314° 00' 00" W	58.22
111/A	N 111° 00' 00" E	100.00	S 313° 00' 00" W	57.56
110/A	N 110° 00' 00" E	100.00	S 312° 00' 00" W	56.90
109/A	N 109° 00' 00" E	100.00	S 311° 00' 00" W	56.24
108/A	N 108° 00' 00" E	100.00	S 310° 00' 00" W	55.58


Yellow
 Broughton/Engineering, Inc.
 10 West Erie Street, Suite 201
 Painesville, OH 44077

NOTE: ALL IRON PINS FOUND, SET ON IN MONUMENT BOXES ARE 5/8"

LEGEND:
 ○ IRON PIN FOUND
 □ IRON PIN SET
 ◆ MONUMENT BOX SET
 □ LOCAL SERVICE DISTANCE EASEMENT (SEE 133/03)

SCALE: 1"=60'

Outdoor
 Engineering, Inc.
 10 West Erie Street, Suite 201
 Frederick, MD 21701



- IRON PIN FOUND
 - IRON PIN SET
 - ◊ MONUMENT BOX FOUND
 - ◊ MONUMENT BOX SET
 - ◻ LOCAL SERVICE EASEMENT
 - ◻ PRESERVATION EASEMENT
- NOTE: ALL IRON PINS FOUND, SET OR IN COMMENT BOXES ARE 1/2\"/>

CURVE DATA:

Station	Curve	Station	Curve	Station	Curve	Station	Curve	Station	Curve
133/A	134/A	133/A	133/B	133/A	137/A	142/A	141/A	141/A	141/A
133/B	133/B	133/B	133/B	133/B	137/B	142/B	141/B	141/B	141/B
133/C	133/C	133/C	133/C	133/C	137/C	142/C	141/C	141/C	141/C
133/D	133/D	133/D	133/D	133/D	137/D	142/D	141/D	141/D	141/D
133/E	133/E	133/E	133/E	133/E	137/E	142/E	141/E	141/E	141/E
133/F	133/F	133/F	133/F	133/F	137/F	142/F	141/F	141/F	141/F
133/G	133/G	133/G	133/G	133/G	137/G	142/G	141/G	141/G	141/G
133/H	133/H	133/H	133/H	133/H	137/H	142/H	141/H	141/H	141/H
133/I	133/I	133/I	133/I	133/I	137/I	142/I	141/I	141/I	141/I
133/J	133/J	133/J	133/J	133/J	137/J	142/J	141/J	141/J	141/J
133/K	133/K	133/K	133/K	133/K	137/K	142/K	141/K	141/K	141/K
133/L	133/L	133/L	133/L	133/L	137/L	142/L	141/L	141/L	141/L
133/M	133/M	133/M	133/M	133/M	137/M	142/M	141/M	141/M	141/M
133/N	133/N	133/N	133/N	133/N	137/N	142/N	141/N	141/N	141/N
133/O	133/O	133/O	133/O	133/O	137/O	142/O	141/O	141/O	141/O
133/P	133/P	133/P	133/P	133/P	137/P	142/P	141/P	141/P	141/P
133/Q	133/Q	133/Q	133/Q	133/Q	137/Q	142/Q	141/Q	141/Q	141/Q
133/R	133/R	133/R	133/R	133/R	137/R	142/R	141/R	141/R	141/R
133/S	133/S	133/S	133/S	133/S	137/S	142/S	141/S	141/S	141/S
133/T	133/T	133/T	133/T	133/T	137/T	142/T	141/T	141/T	141/T
133/U	133/U	133/U	133/U	133/U	137/U	142/U	141/U	141/U	141/U
133/V	133/V	133/V	133/V	133/V	137/V	142/V	141/V	141/V	141/V
133/W	133/W	133/W	133/W	133/W	137/W	142/W	141/W	141/W	141/W
133/X	133/X	133/X	133/X	133/X	137/X	142/X	141/X	141/X	141/X
133/Y	133/Y	133/Y	133/Y	133/Y	137/Y	142/Y	141/Y	141/Y	141/Y
133/Z	133/Z	133/Z	133/Z	133/Z	137/Z	142/Z	141/Z	141/Z	141/Z

